

014

SOURCE: (C) WPI / DERWENT

KP 02101224

AN : 78-09326A [05]

MC : C05-B01P C12-M09

PN : JP52151729 A 771216 DW7805 000pp  
 - JP59044282B B 841029 DW8447 000pp

PR : JP760067787 760611

PA : (TOHR ) TOHO CHEM IND CO LTD

DC : C01 C03

IC : A01N17/10 ;A01N25/24

TI : Biodegradable carrier compsn. for agricultural chemicals - contg. surfactant comprising phosphoric acid ester salt of ethylene oxide adduct with straight chain alcohol

AB : J52151729 Low-pollution carrier compsn. contg. as major component phosphoric acid ester salt of adduct of ethylene oxide with  $\geq 4C$  straight chain alcohol. Pref. the salt is present at 35-60 wt.%.  
 - The compsn. is easily decomposed by microorganism and has very low toxicity to animals and plants It is mixed with agricultural chemicals liquid at the time of spraying, and it increases the effect of the agricultural chemicals. The present phosphoric acid ester salt is a soft type surface active agent having good biological decomposability and has very low toxicity. Due to the presence of phosphoric acid gp., the present surface active agent shows an excellent stability effect particularly to organic phosphate type agricultural chemicals.  
 - The phosphoric acid ester salt is prepd. by adding 2-30 moles of ethylene oxide to 1 mole of at least 4C straight chain alcohol (e.g. butylalcohol, hexylalcohol, octylalcohol, nonylalcohol, laurylalcohol, stearylalcohol) to prepared nonionic surface active agent, reacting the prod. with P2O5 or PCl3 and then neutralising the resulting product with alkali(ne earth) metal hydroxides or amine (e.g. alkylamine, alkanolamine). Use of  $<4C$  alcohol gives the surface active agent deficient in the surface activity and penetrating activity. Use of alcohol having branched chain alkyl or alkenyl or aryl is not pref. because the obtd. surface active agent lacks biological decomposability.